

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION

NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

Kennedy Skylights, LLC 5294 Tower Way Sanford, FL 32773

Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER-Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code. This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

DESCRIPTION: Series ICMG Aluminum Skylight

APPROVAL DOCUMENT: Drawing titled "ICMG Subframe Plan, Deck Plan, Skylight Plan and Skylight Section", sheets 4 through 4 of 4, dated 07/01/2010, prepared by Kennedy Skylights, signed and sealed by James D. Wells, Jr., P.E., bearing the Miami-Dade County Product Control revision stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA revises NOA # 09-0630.09 and consists of this page 1 and evidence pages E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by Carlos M. Utrera, P.E.

(MIAMIDADE GOUNTY)
APPROYED

ften) 1/2/01/2014

NOA No. 13-0222.13 Expiration Date: September 22, 2015 Approval Date: December 11, 2014 Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

A. DRAWINGS

1. Drawing titled "ICMG Subframe Plan, Deck Plan, Skylight Plan and Skylight Section", sheets 4 through 4 of 4, dated 07/01/2010, prepared by Kennedy Skylights, signed and sealed by James D. Wells, Jr., P.E.

B. TESTS "Submitted under NOA # 09-0630.09"

- 1. Test reports on 1) Air Infiltration Test, per FBC, TAS 202-94
 - 2) Uniform Static Air Pressure Test, Loading per FBC TAS 202-94
 - 3) Water Resistance Test, per FBC, TAS 202-94
 - 4) Large Missile Impact Test per FBC, TAS 201-94
 - 5) Cyclic Wind Pressure Loading per FBC, TAS 203-94

along with marked-up drawings and installation diagram of Series ICMG Aluminum Skylights, prepared by National Certified Testing Laboratories, Test Report No. 210-3041-1,2, dated 10/05/2004, signed and sealed by Gerald J. Ferrara, P.E.

C. CALCULATIONS "Submitted under NOA # 09-0630.09"

1. Anchor calculations prepared by J & L Wells Consulting LLC, on 08/04/2010, signed and sealed by James D. Wells, Jr., P.E.

D. QUALITY ASSURANCE

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

E. MATERIAL CERTIFICATIONS

1. Notice of Acceptance No. 11-1026.06 issued to Cardinal LG Company for their "Cardinal Sea-Storm PET Glass Interlayer", approved on 11/15/2012 and expiring on 01/13/2016.

F. STATEMENTS


- 1. Statement letter of code conformance to 2010 FBC issued by J & L Wells Consulting LLC, dated 11/28/2012, signed and sealed by James D. Wells, Jr., P.E.
- 2. Statement letter of no financial interest, issued by J & L Wells Consulting LLC, dated 11/28/2012, signed and sealed by James D. Wells, Jr., P.E.

Carlos M. Utrera, P.E. Product Control Examiner NOA No. 13-0222.13

Expiration Date: September 22, 2015 Approval Date: December 11, 2014

NOTE:

- ALL ROOFING DETAILS SHALL COMPLY WITH FLORIDA BUILDING CODE 2010.
- 4" MINIMUM DISTANCE FROM ANGLE LIP TO ROOF SURFACES IS FOR SHINGLE OR B.U.R. WITHOUT INSULATION. FOR INSULATION AND TILE ROOF ADD TILE HEIGHT AND INSULATION THICKNESS TO 4".
- (3) ANCHORS TO BE MADE FROM NON-CORROSIVE MATERIAL COMPATIBLE WITH ALUMINUM.
- NO ONE-THIRD INCREASE IN THE DESIGN PRESSURE WAS USED.
- (5) TESTED TO TAS 201, TAS 202, AND TAS 203.



DESIGN PRESSURE RATING ± 60 PSF LARGE MISSILE IMPACT RESISTANT



PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No [2-722.1]
Expiration Date 2 7 22 20

Mianti Dade Product Control


FASTENER SCHEDULE-SKYLIGHT FRAME TO WOOD SUB-FRAME

#8x11/4" FLAT HEAD SELF TAPPING SCREWS QTY. PER LONG QTY. PER MODEL SHORT SIDE SIDE 4646

3046 3030 2269 2246 2230 3 2222 1446 1430 1422 2 2

1414

| DRAWINGS PREPARED FOR: | PROJECT NAME: | Engineer of Record: James D. Wells, Jr., P.E. | | REV. DA | TE DESCRIPTION | SHEET: |
|--|---------------------|---|-----------|----------|----------------|--------------------------|
| VENNEDY CIVITOUT | C ICMG | Professional Engineer No. 53816 J & L Wells Consulting LLC | | 4 | | |
| KENNEDY SKYLIGHTS | SUBFRAME PLAN | 1453 Arbitus Circle | | ≩ | | |
| | OOD! TITUIL 1 LIVIY | Oviedo, FL 32765 | 1.20 | | | -1 1 I 1 |
| DRAWN BY: CHECKED BY: DRAWING FILE: RV RV | | (407) 496-5489 Certificate of Authorization No. 27162 | | ₹ - | | ─ 1 of 4 1 |
| 107 107 | | Certificate of Authorization no. 57105 | of let la | | | |



| UNIT DIMENSIONS | | | | | | |
|-----------------|-----------|------------|--|--|--|--|
| MODEL | LONG SIDE | SHORT SIDE | | | | |
| 4646 | 57.5 | 57.5 | | | | |
| 3046 | 57.5 | 41.5 | | | | |
| 3030 | 41.5 | 41.5 | | | | |
| 2269 | 80.5 | 33.5 | | | | |
| 2246 | 57.5 | 33.5 | | | | |
| 2230 | 41.5 | 33.5 | | | | |
| 2222 | 33.5 | 33.5 | | | | |
| 1446 | 57.5 | 25.5 | | | | |
| 1430 | 41.5 | 25.5 | | | | |
| 1422 | 33.5 | 25.5 | | | | |
| 1414 | 25.5 | 25.5 | | | | |

FASTENER SCHEDULE-CURB TO DECK

#6x15%" DRYWALL SCREWS QTY. PER LONG QTY. PER MODEL SIDE SHORT SIDE 8 8 4646 6 3046 3030 6 5 2269 11 5 2246 5 2230 2222 5 1446 4 1430 1422 1414

RV

KENNEDY SKYLIGHTS


DRAWN BY: CHECKED BY: DRAWING FILE: RV

DECK PLAN

J & L Wells Consulting LLC 1453 Arbitus Circle Oviedo, FL 32765 (407) 496-5489 Certificate of Authorization No. 27162

REV. DATE DESCRIPTION .2010

DESIGN PRESSURE RATING ± 60 PSF LARGE MISSILE IMPACT RESISTANT



FASTENER SCHEDULE-SKYLIGHT TO CURB #8x1%" PHILLIPS TRUSS HEAD SCREWS QTY. PER LONG QTY. PER MODEL SHORT SIDE SIDE 4646 3046 3030 2269 5 2246 2230 2222 3 1446 1430 1422 3 2 1414

PRODUCT REVISED as complying with the Florida Building Code Acceptance No 13-1222-Expiration Date 09/22/21

Mismi Dade Product Control



KENNEDY SKYLIGHTS

DRAWN BY: CHECKED BY: DRAWING PILE: RV

PROJECT NAME: ICMG SKYLIGHT PLAN Engineer of Record: James D. Wells, Jr., P.E. Professional Engineer No. 53616 J & L Wells Consulting LLC 1453 Arbitus Circle Oviedo, FL 32765 (407) 496-5489 Certificate of Authorization No. 27162

| | D | REV. | DATE | DESCRIPTION | I |
|-------|-----|------|------|-------------|---|
| | Œ | | | | I |
| 010 | × | | | | ı |
| 7.1.2 | AS | | | | ı |
| Ž. | 8 7 | | | | ı |

MILLIAN . PRODUCT REVISED CONTINUOUS BEADED STRUCTURAL es complying with the Florida Building Code SILICONE Expiration Date 04 1½" FLATHEAD SELF-TAPPING SCREW. Miami Dade Product Control SEE TABLE FOR QUANTITIES, SEE PLAN FOR SPACING WOOD GLAZING FRAME EXTRUDED ALUMINUM SKYLIGHT FRAME-#8x18" PHILLIPS TRUSS HEAD SCREW. SEE TABLE FOR QUANTITIES, SEE PLAN FOR SPACING. - A" GLASS PANEL ATTITUTE TO .090 PVB -¼" GLASS PANEL SHIM AS NEEDED FOR SNUG FIT PVC CONDENSATION GUTTER .060" CONTINUOUS ALUMINUM FLASHING-ROUGH OPENING #8x14" MODIFIED TRUSS HEAD SCREW. SEE TABLE FOR QUANTITIES, NOTE: SEE PLAN FOR SPACING. IMPACT TEST WAS A 2x6 STUD. CURB AND FLASHING BY OTHERS AS PER MIAMI-DADE SPECIFICATIONS. TRUSS. OVERALL CURB DIMENSION REV. DATE | DESCRIPTION PROJECT NAME: Engineer of Record: James D. Wells, Jr., P.E. *ICMG* Professional Engineer No. 53616 KENNEDY SKYLIGHTS J & L Wells Consulting LLC SKYLIGHT SECTION 1453 Arbitus Circle 2010 Oviedo, FL 32765 DRAWN BY: CHECKED BY: DRAWING FILE: (407) 498-5489 RVCertificate of Authorization No. 27162

NOTE:

CURB SUPPLIED/ INSTALLED BY OTHERS. (APPROVED BY MIAMI-DADE COUNTY)